-		ROUTING			
TO:	NAME A	ND ADDRESS		DATE	INITIALS
1	ARCHI VE	S			
2					
3					
4					
1/	ACTION	DIRECT REPLY		PREPARE REPLY	
	APPROVAL	DISPATCH		RECOMMENDATION	
10	COMMENT	FILE		RETURN	
1	CONCURRENCE	INFORMATION		SIGNA	TURE
REMA	arks: PAPER F	PRINTS			
FROM: NAME, ADDRESS, AND PHONE NO.					
					SEPT

## SECRET

(Security Classification)
NOFORN

(See inside cover)

COPY 29 OF 29

25X1

Warning Notice
Intelligence Sources or Methods Involved

NATIONAL SECURITY INFORMATION
Unauthorized Disclosure Subject to Criminal Sanctions

SECRET
(Security Classification)

Declassified in Part - Sanitized Copy Approved for Release 2012/01/30: CIA-RDP84T00171R000201760001-6

and the second of the second o

## Warning Notice Intelligence Sources or Methods Involved (WNINTEL) or (D)

## NATIONAL SECURITY INFORMATION Unauthorized Disclosure Subject to Criminal Sanctions

## DISSEMINATION CONTROL ABBREVIATIONS

NOFORN-

Not Releasable to Foreign Nationals

NOCONTRACT-

Not Releasable to Contractors or

Contractor/Consultants

PROPIN-

Caution-Proprietary Information Involved

ORCON-

Dissemination and Extraction of Information

Controlled by Originator

REL...

This Information has been Authorized for

Release to . . .



SSITIE	ed in Part - Sanitized Copy Approved for Release 2012/01/30 : CIA-RDP84T00171R000201760001-6  SECRET	
. 4		25X
	(c) NATIONAL PHOTOGRAPHIC INTERPRETATION CENTER	
	Page of Attachment to	
	Copy 13 SEPTEMBER 1983	
	PROBABLE STRAP-ON BOOSTER FOR HEAVY-LIFT LAUNCH VEHICLE TYURATAM ICBM TEST SUPPORT FACILITY 31, USSR (SWN)	
		25X
1.	SIGNIFICANCE: THE FIRST STAGE OF THE NEW MEDIUM-LIFT SL-Y VEHICLE WILL PROBABLY BE USED AS A STRAP-ON, THRUST AUGMENTATION BOOSTER FOR THE NEW HEAVY-LIFT LAUNCH VEHICLE (HLV). (SWN)	
2.	REMARKS:  A PROBABLE STRAP-ON BOOSTER FOR THE NEW HLV WAS ON A THREE-CAR TRAIN IN THE ASSEMBLY AREA OF	25X
	TYURATAM ICBM TEST SUPPORT FACILITY 31. THE DIMENSIONS OF THE PROBABLE STRAP-ON BOOSTER WERE COMPATIBLE WITH THE DIMENSIONS OF THE FIRST STAGE OF THE NEW MEDIUM-LIFT SL-Y VEHICLE, AND THE THREE-CAR TRAIN WAS OF THE TYPE ASSOCIATED WITH THE SL-Y VEHICLE. THE SL-Y IS CURRENTLY	25X:
	UNDERGOING LAUNCH READINESS TESTING AND IS EXPECTED TO BE LAUNCHED FROM TYURATAM SPACE LAUNCH SITE Y1/2 BY THE END OF THE YEAR. (SWN)	25X
	THE NEW HLV WILL BE LAUNCHED FROM TYURATAM SPACE LAUNCH SITES W AND J1/2, BOTH STILL UNDER CONSTRUCTION. THE CONFIGURATION OF THE LAUNCH PAD AND THE MOBILE SERVICE GANTRY AT SPACE LAUNCH SITE W INDICATE THAT THE	25X
	NEW HLV HAS BEEN DESIGNED TO ACCOMMODATE FOUR STRAP-ON BOOSTERS. (SWN)	25X
3.	COORDINATES 45-55-34N 063-16-30E (S)	25X
	tt.	
Their	use notes have been prepared for briefing purposes only and should not be used for detailed analytical work.  The ruse should be restricted to the particular briefing board(s) they were prepared for and must be considered only for the reporting period as indicated by the date of issue.	25X
INTE	CARNING NOTICE LLIGENCE SQUEES SECRET	
	AETHOUS INVOLVED	25X